

# PI/Dwights PLUS on CD Scout Ticket

## 2 WALTER FLETCHER

State: LOUISIANA  
 County: GRANT  
 Operator: BATES & CORNELL  
 API: 17043004010000 IC:  
 Initial Class: D  
 Target Objective:  
 Final Well Class: DO  
 Status: OIL  
 Field: ALOHA  
 Permit: on FEB 26, 1954  
 First Report Date: MAR 15, 1954  
 Projected TD: Formation: WILCOX  
 Hole Direction: VERTICAL  
 IP Summary: Oil Gas Water Top Form  
 85 BPD

### Location

Section, Twp., Range: 9 7 N 4 W  
 Spot Code:  
 Footage NS EW Origin:  
 Surface Remark:  
 Principal Meridian: LOUISIANA  
 Lat/Long: 31.5989000 / -92.7785000 IH  
 PBHL Footage NS EW Origin:  
 PBHL Section:  
 PBHL Remark:  
 ABHL Footage NS EW Origin:  
 ABHL Section:  
 ABHL Remark:  
 Location Narrative: Type Remark  
 LOCATION 2310 N & 1650 W OF SE/C OF SEC 9-7E-4W

### Dates and Depths

Spud: MAR 08, 1954 Spud Date Code:  
 TD: 5202 on  
 LTD:  
 TVD:  
 PlugBack Depth:  
 Completed: MAR 30, 1954  
 Formation @ TD: 000UNKWN Name: UNKNOWN  
 Ref. Elevation: 108 DF  
 KB. Elevation:  
 Ground Elevation:  
 Contractor:  
 Rig Release Date: Rig #

### IP # 001

Top Formation:  
 Base Formation:  
 Oil: 85 BPD Condst:  
 Gas: Water:  
 Interval: 3860 - 3865 Method: FLOWING

# PI/Dwights PLUS on CD Scout Ticket

Duration of Test: Hours  
 Oil: Gravity: 44.2  
 Choke: 07/64  
 GOR: 395  
 Prod Method: PERF  
 Pressures: FTP: 580 SITP:  
 FCP: 860 SICP:  
 Perforations: Interval Cnt Type Shots/Ft Top Formation  
 3860 - 3865 5 FT

**PT # 001**

Top Formation:  
 Base Formation:  
 Oil: 0 BBL  
 Gas: 0 MCFD  
 Condst:  
 Water: 0 BBL  
 Interval: 4297 - 4304  
 Method: SWABBING  
 Duration of Test: Hours  
 Oil: Gravity:  
 Choke:  
 GOR:  
 Prod Method: PERF  
 Perforations:  
 Perf Interval: 4297 - 4304 Shots/Ft: 4 FT

Remarks on PT Test # 001 WASHED WITH OIL SWB DRY-NO NEW OIL

**PT # 002**

Top Formation:  
 Base Formation:  
 Oil:  
 Gas:  
 Condst:  
 Water: 0 BBL  
 Interval: 4297 - 4304  
 Method: SWABBING  
 Duration of Test: Hours  
 Oil: Gravity:  
 Choke:  
 GOR:  
 Prod Method: PERF  
 Water:  
 Type: SWTR Salinity: Temp:  
 Perforations:  
 Perf Interval: 4297 - 4304 Shots/Ft: 4 FT

Treatments: 100 Interval: 4297 - 4304  
 Fluid: 500 GAL ACID Type: A  
 Additive:  
 Prop Agent:  
 Formation Break Down Pressure:  
 Average Injection Rate:  
 Stages: Remarks:  
 Remarks on PT Test # 002 SWB SWTR-NS NO GAUGE

**Casing, Liner, Tubing**

Casing 10 3/4 IN @ 400 w/ sx  
 Casing 5 1/2 IN @ 4346 w/ sx

**Formations and Logs**

Log # 1 EL @ -  
 Logging Co. 153789  
 Top Formation Measured Top Base Base Source Lith- Age  
 Depth TVD Depth TVD TVD ology code

## PI/Dwights PLUS on CD Scout Ticket

### Formations and Logs

WILCOX	2102		LOG	652
FLETCHER SD /FLETCHER/	3868	3876	LOG	652
DUBOIS SD /DUBOIS/	4295	4302	LOG	652

### Operator Address

Street or PO Box:

City:

State, Zip:

Country:

Phone:

Fax:

E-Mail:

Agent Name:

Agent Code:

Agent Remark: